Form S Chemical Reporting Challenges

Rich Bizzozero, Director Office of Technical Assistance May 2018



Before You Get Started

- Review and know what chemicals are on the list
- Know what chemicals are used & how much
- Know what each chemical and chemical category reporting thresholds are
- Do not assume what has been done in the past is correct this reporting cycle
- Ask yourself these questions:
 - ☐ Am I taking over reporting responsibilities from someone else who previously prepared and filed the Form-S report?
 - ☐ Have I accounted for all chemical use especially those chemicals used in excess of 1,000 pounds?
 - ☐ Do I have current SDS for all chemicals?
 - ☐ Do we use PBTs? Rule this out!
 - ☐ Do we use Higher Hazard Substances (HHS)?

Commonly Overlooked or Incomplete Reporting Requirements

Evaluating chemicals previously reduced below thresholds and were not reported on last year.

Checking for chemical name synonyms

Evaluating all processes where the chemical is used when determining the quantity of chemical use

Including water pretreatment & treatment chemicals (acids and bases)

Accounting for coincidentally manufactured chemicals

☐ Ask: Do we use large quantities of products that contain a reportable chemical?

Commonly Missed Reports – Additional \$1,000 Fee & NON

- Higher Hazard Substances (HHS)
 - > 1,000 lb threshold
- Use of PBTs
- Acids and Bases
- Chemical Categories
- Differences in TRI and TURA Reporting List
- Wastewater Treatment and Cleaning Chemicals
- New Listings
 - ➤ Hexabromocyclododecane (HBCD) Category for RY 2018
- Reporting Water Dissociable Nitrate Compounds
 - ➤ Do you use nitric acid?
- Coincidently Manufactured Chemicals

Water-Dissociable Nitrate Compounds

Coincidental manufacture of water-dissociable nitrate compounds

- Requires Form S & Form R reporting
- Can trigger reporting even though < 25,000 pounds of nitric acid are treated

Threshold Determination

Nitrate Compounds Generated in Waste Treatment

```
HNO<sub>3</sub> + NaOH ---- NaNO<sub>3</sub> + H<sub>2</sub>O

Molecular
Weight = 63 85
```

Threshold Determination: How Much HNO₃ Usage Needed to Trip Threshold?

Nitrate Compounds Generated in Waste Treatment

$$\frac{63}{85} = \frac{X}{25,000 \text{ lb}}$$
 X = 18,529 lbs (Form S)

Ammonia Reporting

• The total quantity of the **anhydrous ammonia** manufactured, processed, or otherwise used is reportable.

 When calculating byproduct it's the total amount of ammonia that is released, transferred, or otherwise managed.

Ammonia Reporting (cont)

• If a facility manufactures, processes, or otherwise uses aqueous ammonia (or a water dissociable ammonium salt in water), the quantity applied toward threshold determinations for the ammonia listing is 10 percent of the total quantity of the aqueous ammonia (or water dissociable ammonium salt in water) manufactured, processed, or otherwise used.

 When calculating byproduct it is 10 percent of the total quantity of aqueous ammonia released, transferred, or otherwise managed.

Rules for Reporting Individual Chemicals and Chemical Categories

If a specific chemical is part of an EPCRA Category

AND

The same chemical is a specifically listed CERCLA chemical

DO YOU REPORT AS AND INDIVDUAL CHEMICAL OR PART OF A CATEGORY?

*Check table on page 73 of the Toxics Use Reporting Appendices

Rules for Reporting Individual Chemicals and Chemical Categories

If lead is used in excess of 100 pound threshold

AND

 Lead compounds are used in excess of 100 pound threshold

DO YOU REPORT BOTH INDIVIDUALLY OR AS A CHEMICAL CATEGORY? FEE?

Lead Arsenate Reporting - PBT

- The compound is part of the Lead Compounds category
 - AND
- Arsenic Compounds category
- Report as part of Lead Compounds category, DEP CODE 1026 and report as part of Arsenic Compounds category, DEP CODE 1090.
- Report both categories and pay one fee. Do not report as an individual CERCLA chemical
- WHAT ARE THE REPORTING THRESHOLDS?
 - *See page 6 of the TUR Reporting Guidance

New Higher Hazard Substances-Report Each CAS# Individually

2,4-Toluene diisocyanate

- 2,4-TDI
- CAS 584-84-9

2,6-Toluene diisocyanate

- 2,6-TDI
- CAS 91-08-7

Toluene diisocyanate mixed isomers

- TDI-mixed isomers
- CAS 26471-62-5

Higher Hazard Substances

- Trichloroethylene (TCE)
- Cadmium
- Cadmium Compounds
- Perchloroethylene (PCE, or PERC)
- Hexavalent Chromium Compounds
- Formaldehyde
- Methylene chloride

- 1-Bromopropane (npropyl bromide)
- Hydrogen fluoride
- Cyanide Compounds
- Dimethylformamide (DMF)
- 2,4 Toluene Diisocyanate
- 2,6 Toluene
 Diisocyanate
- Toluene Diisocyanate Mixed Isomers

2016 Higher Hazard Substances – Plans Due

First plans due July 1, 2018 for these unless RY 2017 was the first reporting year for these chemicals:

- 1-Bromopropane (n-propyl bromide)
- Hydrogen fluoride (HF)
- Cyanide Compounds (CN Compounds)
- Dimethylformamide (DMF)

Persistent Bio-Accumulative Toxics (PBTs)

- U.S. EPA PBTs are automatically designated as HHS by 2007 TURA Amendments. These chemicals have no di-minimis and lower thresholds. A partial list of these chemicals includes:
 - ➤ Dioxin and dioxin-like compounds
 - > Lead and lead compounds
 - ➤ Mercury and mercury compounds
 - ➤ Polycyclic Aromatic Compounds (PACs) category 25 listed chems
 - ➤ Benzo (g,h,i) perylene
 - > Hexachlorobenzene
 - ➤ Polychlorinated Biphenyls (PCBs)
 - > Tetrabromobisphenol A
 - ➤ Hexabromocyclododecane (HBCD) category RY 2018

Do I Trip a Reporting Threshold for Hydrogen Fluoride?

Under TURA, when a given listed substance is introduced into production anywhere at the facility, it's use is counted *only once at the facility level*, regardless of how many times that listed substance is used, recycled or reused onsite.

Manufacture, Process, or Otherwise Use of HF from Ammonium Bifluoride or Other Fluoride Salts

- When dry ammonium bifluoride (ABF) contacts water, it generates hydrofluoric acid (HF). The hydrogen fluoride derived from fluoride salts (such as ABF) is considered <u>manufactured</u>. (EPA guidance 745-R-00-005)
- When the manufactured HF is used to etch a metal, its <u>otherwise use</u> is counted at the production unit level but not reported as otherwise use at the facility-wide level
- ABF in dry blends for resale are not likely to have reportable quantities of HF
- Is ABF a reportable chemical?

Hydrogen Fluoride Example

- Example: In the calendar year, 3000 pounds of ABF is used to <u>manufacture</u> HF and is subsequently <u>otherwise</u> <u>use</u> to etch metal
- **Solution:** 3000 pounds of ABF in water <u>manufactures</u> 1050 pounds of HF. The HF is <u>otherwise used</u> to etch a metal, however it is only reported once at the facility level, and this amount **would not** be added to other quantities otherwise used.
- Byproducts and reportable chemical consumed are reportable at the production unit and facility-wide level

Hydrogen Fluoride Solution

Manufactured = 1050 pounds

Byproduct = ?? pounds

Processed = 0 pounds


Shipped as Product = 0 pounds

Otherwise Used = 0 pounds

Materials Balance?

Cyanide Compounds Example

- 300 gallon copper plating tank operates with 1000 liters of solution. A fresh solution is made up at the beginning of the calendar year and discarded at the end of the year, with 60 kilograms of copper cyanide (*process*) and 94 kilograms of sodium cyanide (*otherwise use*).
- Over the course of the year, 323 kilograms of copper are consumed from the anode, that *manufacture* 455 kg of copper cyanide as 323 kilograms of copper are plated from the solution onto steel parts.
- Also, 25 kg of cyanide salts (<u>otherwise use</u>) have been added to maintain tank concentrations due to dragout losses.



Cyanide Compounds Solution

In that case: Form S, Section 1: Facility-Wide Use of Listed Chemical (Cyanide Compounds)

- c. Manufactured = 455 kg X (2.20 lb/kg) = 1001 pounds of Copper Cyanide
- d. Processed = 60 kg X (2.20 lb/kg) = 132 pounds of Copper Cyanide
- e. Otherwise used = $(94 \text{ kg} + 25 \text{ kg}) = 119 \text{ kg} \times (2.20 \text{ lb/kg}) = 262$ pounds of Sodium Cyanide
- f. Byproduct = 179 kg X (2.20 lb/kg) = 394 pounds CuCN and NaCN
- g. Shipped as Product = 0 kg = 0 pounds

Form S, Section 2: Materials Balance

Cyanide Compounds Solution

Manufactured = 1001 pounds

Byproduct = 394 pounds

Processed = 132 pounds

Shipped as Product = 0 pounds

Otherwise Used = 262 pounds

Formaldehyde (CAS 50-00-0) Synonyms Include:

Formalin

Formol

Methylene Glycol

Methyl Aldehyde

Methylene Oxide

Chemical Categories – Some are HHS or PBT's – Different Thresholds

- Nickel, Silver, Zinc, Copper & Antimony Compounds Category(25,000 lb threshold)
- Cadmium, Cyanide & Hexavalent Chromium Compounds Category(1,000 lb threshold)
 - ➤ Use DEP Category # 1216 for Cr (VI) compounds (total compound weight towards threshold 1,000 lb threshold)
 - ➤ Use DEP Category # 1217 for Non Cr(VI) Chromium Compounds (25,000 lb threshold)
- Lead Compounds(100 lb threshold)

Difference in TRI and TURA Reporting

- Reporting of Hydrochloric Acid and Sulfuric Acid (Both Aerosol and Non-Aerosol on Form-S)
- Sodium Hydroxide & Potassium Hydroxide
- Bleach (Sodium Hypochlorite)
- Phosphoric Acid
- Acetone
- Benzoic Acid
- Ferrous Sulfate
- Ferric chloride
- Tri-sodium Phosphate (TSP)
- Paraformaldehyde

Coincidentally Manufactured Chemicals

- Water Dissociable Nitrate Compounds
 - ➤ Nitric acid neutralization
- Hydrogen fluoride (HF) manufactured from amonium bifluoride (ABF) and ammonium fluoride (AF) (1,000 pound reporting threshold)

Which Sectors Recently Missed A Reportable Chemical?

- 21 Fabricated Metals
- 18 Chemical Manufacturing
- 12 Concrete
- 13 Food and Beverage
- 9 Utilities
- 6 Plastics and Rubber
- 6 Computer and Electronics
- **6 Chemical Distributors**

Which Chemicals Were Most Commonly Missed?

- 19 Sodium Hydroxide
- 11 Nitrate Compounds
- 10 Sulfuric Acid
- 11 Lead or Lead Compounds
- 7 Acetone
- 6 Phosphoric Acid
- 6 Hydrochloric Acid
- 5 Acetic Acid

Rich Bizzozero
Office of Technical Assistance
Rich.Bizzozero@State.MA.US
(617) 626-1080
www.mass.gov/eea/ota

THANK YOU

